Bibliography

[1] ACARE, “ACARE Handover-Document,” 2011, no. November.

[2] European Commision, “European aeronautics: A vision for 2020,” 2001.

[3] European Commision, “Flightpath 2050 Europe’s Vision for Aviation,” 2011.

[4] A. Royer, P. Bastie, D. Bellet, and J. L. Strudel, “Temperature dependence of the lattice mismatch of the AM1 superalloy influence of the γ ‘ precipitates ’ morphology,” *Philos. Mag. A*, vol. 72, no. 3, pp. 669–689, 1995.

[5] R. A. Ricks, A. J. Porter, and R. C. Ecob, “The growth of gamma prime precipitates in nickel-base superalloys,” *Acta Metall.*, vol. 31, pp. 43–53, 1983.

[6] H. Mughrabi and U. Tetzlaff, “Microstructure and high-temperature strength of monocrystalline nickel-base superalloys,” *Adv. Eng. Mater.*, vol. 2, no. 6, pp. 319–326, 2000.

[7] F. R. N. Nabarro, “Rafting in Superalloys,” *Metall. Mater. Trans. A*, vol. 27, no. 3, pp. 513–530, 1996.

[8] C. Y. Cui, Y. F. Gu, D. H. Ping, T. Fukuda, and H. Harada, “Phase constituents and compressive yield stress of Ni-Co base alloys,” *Mater. Trans.*, vol. 49, no. 3, pp. 424–427, 2008.

[9] C. Y. Cui, D. H. Ping, Y. G. Gu, and H. Harada, “A new Co-base superalloy strengthened by gamma’ phase,” *Mater. Trans.*, vol. 47, no. 8, pp. 2099–2102, 2006.

[10] C. Y. Cui, Y. F. Gu, D. H. Ping, and H. Harada, “Phase constituents in Ni–Al–Co–Ti quaternary alloys,” *Intermetallics*, vol. 16, no. 7, pp. 910–916, Jul. 2008.

[11] N. G. Jones, K. A. Christofidou, P. M. Mignanelli, J. P. Minshull, M. C. Hardy, and H. J. Stone, “Influence of elevated Co and Ti levels on polycrystalline powder processed Ni-base superalloy,” *Mater. Sci. Technol.*, vol. 30, no. 15, pp. 1853–1861, Dec. 2014.