

Bibliography

- [1] V. Gerold and H. Haberkorn, "On the critical resolved shear stress of solid solutions containing coherent precipitates," *Phys. Status Solidi B*, vol. 16, p. 675, 1966.
- [2] C. T. Sims, N. S. Stoloff, and W. C. Hagel, *Superalloys II*. John Wiley & Sons, Inc., 1987.
- [3] C. Y. Cui, Y. F. Gu, D. H. Ping, T. Fukuda, and H. Harada, "Phase constituents and compressive yield stress of Ni-Co base alloys," *Mater. Trans.*, vol. 49, no. 3, pp. 424–427, 2008.
- [4] N. G. Jones, K. A. Christofidou, P. M. Mignanelli, J. P. Minshull, M. C. Hardy, and H. J. Stone, "Influence of elevated Co and Ti levels on polycrystalline powder processed Ni-base superalloy," *Mater. Sci. Technol.*, vol. 30, no. 15, pp. 1853–1861, Dec. 2014.
- [5] R. C. Reed, *Superalloys Fundamentals and Applications*. Cambridge University Press, 2006.
- [6] R. A. Ricks, A. J. Porter, and R. C. Ecob, "The growth of gamma prime precipitates in nickel-base superalloys," *Acta Metall.*, vol. 31, pp. 43–53, 1983.
- [7] H. Mughrabi, "The importance of sign and magnitude of γ/γ' lattice misfit in superalloys—with special reference to the new γ' -hardened cobalt-base superalloys," *Acta Mater.*, vol. 81, pp. 21–29, Dec. 2014.